POPULATION ESTIMATES	LONG-TERM CARE			LOCAL HEALTH DEPARTMENTS			
Total 2003 Population Population per square mile County ranking in state (1 Age Female Male	31 -72) 51 Total	Community Options ar as HSRS reports cost Clier COP MA Waiver *	ts for serv nts 15 \$1	Costs 161, 508	Staffing - FTE Total staff Administrative Public health nurse Other prof. staff Technical/Paraprof. Support staff	Number 12.7 1.0 es 5.0 2.9	Per 10, 000 Popul ati on 2. 9 0. 2 1. 1 0. 7
0-14 3, 630 3, 840 15-19 1, 580 1, 660 20-24 1, 280 1, 310 25-29 1, 050 1, 040 30-34 1, 090 1, 080 35-39 1, 410 1, 380	7, 480 3, 240 2, 590 2, 090 2, 170 2, 780	CIP1B CIP2 COP-W 1 CSLA Brain Injury	89 \$1,2 9 \$1 136 \$8 4 \$ 7 \$2	272, 527 126, 560 394, 298 536, 540 265, 745	Fundi ng Total Local Taxes		
40-44 1, 780 1, 790 45-54 3, 300 3, 490	3, 570 6, 780	TOTAL COPYWOLS	209 \$3, I	188, 417	LI CENSED ES		
55-64 2,610 2,640 65-74 1,950 1,920 75-84 1,580 1,140 85+ 880 380 Total 22,130 21,670	5, 260 3, 870 2, 700 1, 260 43, 810	\$272,362 of the a were paid as Local using COP funds. T not included in abo * Waiver costs repo	match/over This amount ove COP cos	rmatch is sts.	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	Capaci ty 12 1, 353 901	Facilities 4 43 46 29
Age Female Male 0-17 4,580 4,810 18-44 7,240 7,290 45-64 5,910 6,130 65+ 4,410 3,440	Total 9, 400 14, 520 12, 040 7, 830	include federal fu	undi ng.		Pools Restaurants Vending	70	7 284 0
Total 22, 130 21, 670	43, 810	(Family Care not pro			WIC PAR	TI CI PANTS	
Poverty Estimates for 2000 Estimate (C All ages 3,609 8.3% Ages 0-17 1,070 10.5%	201 (6%) 92 (9%)	Note: Eligible and will be phased int Waivers as availab	to the COP	ents and MA	Pregnant/Postpartur Infants Children, age 1-4 Total	n	Number 482 473 734 1,689
		Home Health Agencies Patients Patients per 10,000 Nursing Homes Licensed beds	рор.	2 660 151 6 602	Primary Site Breast Cervical Colorectal Lung and Bronchus Prostate	IDENCE (20	02) 44 2 36 38 43
Civilian Labor Force Number employed Number unemployed Unemployment rate	23, 460 21, 780 1, 680 7. 2%	Occupancy rate Residents on Dec. 31 Residents age 65 or per 1,000 populati	l - ol der	86. 7% 524	Other sites Total Note: Totals shown a invasive cance		82 245

			NATA	NITY				
TOTAL LIVE BIRTHS		458	Birth Order	Births	Percent	Marital Status		
TOTAL LIVE BIRTHS		100	First	167	36	of Mother	Bi rths	Percent
Crude Live Birth Rate		10. 5	Second	165	36	Marri ed	330	72
General Fertility Rate		55. 9	Thi rd	74		Not married	128	28
deneral rettility kat	E	55. 9	Fourth or higher	70 E0	17		0	0
	اء ۽ باء،		rour th or higher	0	17 11 0	Unknown	U	U
Live births with repo congenital anomalies	rtea	0 0 70/	Unknown	Ü	U	E		
congenital anomalies		3 0.7%				Educati on	B	
						of Mother	Births	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit		Percent	Elementary or le	ss 2	<. 5
Vagi nal after			1st trimester	381	83	Some high school	50	11
previous cesarean	5	1	2nd trimester	62	14	High school	171	37
1 01 CCP3	2	<. 5	3rd trimester	9	2	Some college	132	29
Other vagi nal	2 331 74	72	No visits	62 9 5 1	1	Some high school High school Some college College graduate Unknown	102	22
Pri mary cesarean	74	16	Unknown	1	<. 5	Unknown	1	<. 5
Repeat cesarean	46	10						
		. 3	Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	5	1	of Mother	Bi rths	Percent
<1 500 gm	5	1. 1	1-4	7	2	Smoker	106	23
1 500-2 499 gm	26	5. 7	5-9	55	12	Nonsmoker		77
2 500± cm	127	93. 2	10-12	191	42	Unknown	0	,,
Inknown	727	75. 2	13+	200	44	OTIKITOWIT	O	U
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	O	O	Unknown	0	0			
			Low Rirthweight		Tri mest	er of First Prenata	l Visit	
			Low Birthweight	1st Tr	Trimest	er of First Prenata	l Visit	(Hnknown
Pace/Ethnicity	Rirths P	Percent	(under 2.500 am)	1st Tr	imester	2nd Trimester	Other/	'Unknown Percent
Race/Ethnicity	Births P	ercent 96	(under 2.500 am)	1st Tr Births	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Race/Ethnicity White	Births P	Percent 96	(under 2,500 gm) Births Percent 30 6.8	1st Tr Births 367	imester	2nd Trimester	Other/	
Race/Ethnicity White Black/Afr. American	Births P 439 2	Percent 96 <. 5	(under 2,500 gm) Births Percent 30 6.8	Bi rths 367 *	imester Percent 84	2nd Trimester Births Percent 59 13 * .	Other/ Bi rths	Percent 3
Race/Ethnicity White Black/Afr. American American Indian	Births F 439 2 6	Percent 96 <.5 1	(under 2,500 gm) Births Percent 30 6.8	Bi rths 367 *	imester Percent 84 67	2nd Trimester Births Percent 59 13 * 1 17	Other/ Bi rths	Percent 3 17
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino	Births F 439 2 6 8	Percent 96 <.5 1 2	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 * 4 5	imester Percent 84	2nd Trimester Births Percent 59 13 * .	Other/ Bi rths	Percent 3
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	Births F 439 2 6 8 1	Percent 96 <.5 1 2 <.5	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 * 4 5 *	imester Percent 84 67	2nd Trimester Births Percent 59 13 * 1 17 2 25	Other/ Bi rths	Percent 3 17
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	Births P 439 2 6 8 1 2	Percent 96 <. 5 1 2 <. 5 <. 5	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 * 4 5	imester Percent 84 67	2nd Trimester Births Percent 59 13 * 1 17 2 25	Other/ Bi rths	Percent 3 17
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Births P 439 2 6 8 1 2	Percent 96 <. 5 1 2 <. 5 <. 5	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 * 4 5 *	i mester Percent 84 67 63	2nd Trimester Births Percent 59 13 * . 1 17 2 25 * . * .	0ther/ Bi rths 13 * 1 1 * *	Percent 3 17
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	439 2 6 8 1 2	96 <. 5 1 2 <. 5 <. 5	(under 2,500 gm) Births Percent 30 6.8 * * * Low Birthweight	Bi rths 367 * 4 5 *	i mester Percent 84 67 63	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/ Births 13 * 1 1 * * *	Percent 3 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	439 2 6 8 1 2 	96 <.5 1 2 <.5 <.5	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 * 4 5 * * *	i mester Percent 84 . 67 63 Tri mest	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	439 2 6 8 1 2 Fe Bi rths	96 <. 5 1 2 <. 5 <. 5	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 * 4 5 * * *	i mester Percent 84 67 63	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	439 2 6 8 1 2 Fe Bi rths	96 <.5 1 2 <.5 <.5 	(under 2,500 gm) Births Percent 30 6.8 *	Bi rths 367 4 5 * 1st Tr Bi rths	i mester Percent 84 . 67 63 Tri mest i mester Percent	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	439 2 6 8 1 2 Fe Bi rths 0 5	96 <.5 1 2 <.5 <.5 	(under 2,500 gm) Births Percent 30 6.8 * * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 367 4 5 * 1st Tr Bi rths .	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80	2nd Trimester Births Percent 59 13 * . 1 17 2 25 * . * . ter of First Prenata 2nd Trimester Births Percent . 1 20	Other/ Births 13 * 1 1 * * * * * Uisit Other/ Births	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	439 2 6 8 1 2 Fe Bi rths 0 5 33	96 <.5 1 2 <.5 <.5 	(under 2,500 gm) Births Percent 30 6.8 * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2	Bi rths 367 * 4 5 * * 1st Tr Bi rths 4 19	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	439 2 6 8 1 2 Fe Bi rths 0 5 33 130	96 <.5 1 2 <.5 <.5 	(under 2,500 gm) Births Percent 30 6.8 * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2 11 8.5	Bi rths 367 * 4 5 * * 1st Tr Bi rths 4 19 112	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58 86	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	439 2 6 8 1 2 Fe Bi rths 0 5 33 130 125	96 <.5 1 2 <.5 <.5 	(under 2,500 gm) Births Percent 30 6.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2 11 8.5 7 5.6	Bi rths 367 * 4 5 * * 	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58 86 90	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	439 2 6 8 1 2 Fe Bi rths 0 5 33 130 125 104	96 <.5 1 2 <.5 <.5 <.5 Prtility Rate 5 3101 119 96	(under 2,500 gm) Births Percent 30 6.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2 11 8.5 7 5.6 5 4.8	Bi rths 367 * 4 5 * * 1st Tr Bi rths 4 19 112 112 86	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58 86 90 83	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	439 2 6 8 1 2 Fe Bi rths 0 5 33 130 125 104 50	96 <.5 1 2 <.5 <.5 ertility Rate 5 53 101 119 96 36	(under 2,500 gm) Births Percent 30 6.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2 11 8.5 7 5.6	Bi rths 367 * 4 5 * * * 1st Tr Bi rths 4 19 112 112 86 42	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58 86 90 83 84	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	439 2 6 8 1 2 	96 <.5 1 2 <.5 <.5 <.5 <.5 <.5 <.11 ertility Rate 5 33 101 119 96 36 6	(under 2,500 gm) Births Percent 30 6.8 * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2 11 8.5 7 5.6 5 4.8 3 6.0	Bi rths 367 * 4 5 * * 1st Tr Bi rths 4 19 112 112 112 86 42 5	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58 86 90 83	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	439 2 6 8 1 2 Fe Bi rths 0 5 33 130 125 104 50	96 <.5 1 2 <.5 <.5 ertility Rate 5 53 101 119 96 36	(under 2,500 gm) Births Percent 30 6.8 * * * * Low Birthweight (under 2,500 gm) Births Percent 5 15.2 11 8.5 7 5.6 5 4.8	Bi rths 367 * 4 5 * * * 1st Tr Bi rths 4 19 112 112 86 42	i mester Percent 84 . 67 63 Tri mest i mester Percent . 80 58 86 90 83 84	2nd Trimester Births Percent 59 13 * 1 17 2 25 * * * * * * * * * * * * * * * * * * *	Other/Births 13 * 1 1 * * * * * * * * * * * * * * *	Percent 3 . 17 13

MORBIDITY			MOI	RTALLTY			
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.						
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngitis, Aseptic Meni ngitis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis Tubercul osi s * 2003 provisi onal data. ** Includes all positive HBsAg	TOTAL DEATHS Crude Death Ra Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+ Infant Mortality Total Infant	Deaths	524 1, 196 Rate 312 798 2, 093 5, 178 16, 155 Rate	Sel ected Underlying Cause Heart Di sease (total) I schemic heart di sea Cancer (total) Trachea/Bronchus/Lur Col orectal Femal e Breast Cerebrovascul ar Di sea Lower Resp. Di sease Pneumonia & Influenza Acci dents Motor vehicle Di abetes Infect./Parasitic Dis Sui ci de * Based on femal e pop	111 253 129 294 131 71 15 . 12 .* 18e 25 57 26 59 1 11 . 25 57 12 . 12 . 12 . 12 . 12 . 12 . 12 . 12 .		
test results. Sexually Transmitted Disease Chlamydia Trachomatis 44	Total Infant Neonatal Postneonatal Unknown Race of Mother	2 1	· · ·	ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA Al cohol	USE OF DEATH		
Geni tal Herpes 11 Gonorrhea <5 Syphilis 0	Whi te BI ack Hi spani c Laoti an/Hmong Other/Unknown	3	: : : :	Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHIO Note: These data are	ELE CRASHES		
Children in Grades K-12 by Compliance Level Compliant 7,470 Non-compliant 87 Percent Compliant 98.8	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	1	Rate	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWl For Speeding Motorcyclist Bicyclist Pedestrian	on residence. Persons Persons Injured Killed 481 11 86 4		

						ITALIZATIONS					
		Per	Average		Charge			Per	Average		Charge
DI SEASE /		1, 000	Stay		Per	DI SEASE /		1, 000	Stay		Per
AGE GROUP	Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injury-Related:	Al I					Al cohol -Rel ated	t				
Total	426	9. 7	4. 5	\$18,005	\$175	Total	129	2. 9	3. 2	\$4, 868	\$14
<18	41	4. 4	3. 0	\$12, 311	\$54	18-44	50	3. 4	3. 0	\$3, 749	\$13
18-44	110	7. 6	4. 1	\$17, 514	\$133	45-64	59	4. 9	3. 0	\$5, 272	\$26
45-64	96	8. 0		\$22, 555	\$180	Pneumonia and I	nfl uenza			,	
65+	179	22. 8	4. 5	\$17, 172	\$392	Total	190	4. 3	4. 9	\$11, 672	\$51
Injury: Hip F				+ · · · / · · · –	,	<18	23	2. 4	3. 6	\$8, 294	\$20
Total	53	1. 2	4. 2	\$16, 931	\$20	45-64	31	2. 6	3. 8	\$9, 891	\$25
65+	49	6. 3	4. 3	\$16, 876	\$106	65+	120	15. 3	5. 5	\$12, 997	\$199
Injury: Poiso		0.0	0	+ . 5 / 5 / 5	4.00	Cerebrovascul ar			0.0	+·=/ ///	4
Total	36	0.8	1. 4	\$4, 776	\$4	Total	184	4. 2	3. 6	\$12,836	\$54
18-44	19			,		45-64	41	3. 4	4. 1	\$18, 229	\$62
		•	•	•	•	65+	140	17. 9	3. 5	\$11, 129	\$199
Psychi atri c						Chronic Obstruc				+ , . = .	4
Total	246	5. 6	7. 7	\$6, 699	\$38	Total	91	2.1	4. 0	\$9, 803	\$20
<18	91	9. 7	6.8	\$6, 276	\$61	<18	19	-: -			
18-44	100	6. 9	8. 5	\$6, 737	\$46	18-44	6				
45-64	28	2. 3	9. 0	\$6, 894	\$16	45-64	17	•	•	•	·
65+	27	3. 4	6. 9	\$7, 783	\$27	65+	49	6. 3	4. 2	\$10, 683	\$67
	_,	. .	.	4.7.00	+- /	Drug-Rel ated	.,	0.0	–	¥.0,000	+5.
Coronary Heart	Di sease					Total	18				
Total	326	7. 4	3. 6	\$24, 551	\$183	18-44	11		•	•	•
45-64	110	9. 1	3. 3	\$25, 448	\$232		• •	•	•	•	•
65+	202	25. 8	3. 8	\$24, 127	\$622	Total Hospitali	zations				
			0.0	+= ., .=.	+	Total	5, 488	125. 3	3. 9	\$12, 458	\$1, 561
Malignant Neopl	asms (Car	ncers):	ALI			<18	782	83. 2	3. 4	\$5, 746	\$478
Total	241	5. 5	5. 9	\$19, 912	\$110	18-44	1, 192	82. 0	3. 4	\$9, 566	\$785
18-44	22	1. 5	5. 5	\$19, 692	\$30	45-64	1, 251	103. 9		\$15, 704	\$1,631
45-64	79	6. 6	4. 9	\$17, 512	\$115	65+	2, 263	288.8	4. 4	\$14,505	\$4, 189
65+	138	17. 6	6. 5	\$21, 060	\$371		_, _ 30		••••	,	,
Neoplasms: Fe	emale Brea	ast (ra	tes for	female po	pulation)	PF	REVENTABLE	HOSPI T	ALI ZATI	ONS*	
Total	11					Total	640	14. 6		\$10, 613	\$155
Neoplasms: Co	l o-rectal		•	•	-	<18	86	9. 2	3. 0	\$7,773	\$71
Total	30	0. 7	8. 1	\$24, 331	\$17	18-44	69	4. 7	3. 1	\$7, 934	\$38
65+	21	2. 7		\$23, 840	\$64	45-64	126	10. 5	3. 8	\$9,066	\$ 9 5
Neoplasms: Lu				. = = , 0 . 0		65+	359	45. 8	4. 5	\$12, 352	\$566
Total	21	0. 5	5. 2	\$17, 967	\$9		007		•	+ , ~ ~ _	+000
Di abetes						* Hospitalizations	s for cond	itions	where t	imelv and	effecti v
Total	51	1. 2	3.6	\$11, 505	\$13	ambulatory care ca	n reduce	the lik	el i hood	of hospi	talizatio
	19			φ11,000	ψ15	amountatory can c cc				or mospi	car i Zati U
65+											